attach Capper # 6

•				Seria	I No.		
CONTROL 1440		U.S. Dept. of Commerce	Atty Docket No.				
ORM PTO-1449	OIPA	Patent and Trademark Office	P1726R1		09/483,588		
	U I PLICANT	• 44	Applicant Presta, L.				
LIST OF DISCLOSURES CITED B	1 01		Filing Date	Group	11		
(Use several sheets if necessary	AUG 2 9 2000 🔋		14 Jan 2000		1600		
	Date Demonstration	FOREIGN PATENT DOCUMENTS	8				
·	DADEMARK		Olava	Subclass	Translation Yes No		
miner Document Number	Date	Country	Class	Subciass	100 110		
119 WO 99/51642	14.10.99 PCT			1	<u> </u>		
	OTHER DISCLOSURE	S (Including Author, Title, Date	, Pertinent Pages, et	C.)	uman IgE to i		
Alistair et al.,	"Participation of th	S (Including Author, Title, Date to N-terminal region of Ceresiochemistry (abstract only	y) 36:15568-15578	3 (1997)			
/		of rat IoG to further del	ineate the Fc:Fc	My lincerace	ion site"		
Medesan et al., 121 European Journal	of Immunology 28:209	92-2100 (1998)		REC	EIVED		
121							
				SEP	2n 2000		
				Troli of	NTER 1600/2000		
				IEGH GE	MIER IBRATSHAM		
			3				
1 1							
Examiner	evid a Sau		Date Considered				

2	•		

a Sheet 1 of 1

		U.S. Dapt of Commerce	Atty Docket No.	Serial No.
ORM PTO	-1449		P1726R1	09/483,588
		Patent and Trademark Office	Applicant	
LIST OF F	DISCLOSURES CITED BY APPLICANT	DEC 2 6 2000 0	Presta, L.	Group
	everal sheets if necessary)	DEC 2 6 2000	Filing Date 14 Jan 2000	1615 /644
(USE S		V '		
		SURES (Including Author, Title, Date,		monocyte triggering
12 A				
12 ASY	// detecti	on of vascular adhesion prote	in-1 in experimenta	inflammation"
7 cs 12		(2):463-471 (Aug 2000)		
9 11				
١.				RECEIVED
				• • • • • • • • • • • • • • • • •
1				JAN 0 4 2001
			Ţ	ECH CENTER 1600/2900)
\				
ł				
1				
ļ ļ				
1				
ļ				
+		_		
				
	1			
			Date Considered	1 /
Examine	er Said a Same ner: Initial if reference considered, whether or	./ 0./ 4—	Date Considered	11/02

U.S. Dept. of Commerce Patent and Trademark Office

AUG Serial No. Atty Docket No. 09/483,5832 P1726R1 Applicant Presta, L. Group Filing Date 1644 14 Jan 2000

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

FORM PTO-1449

U.S.	PATENT	DOCUMENTS

				U.S. PATENT DOCUMENTS			
Examiner	ГТ		Data	Name	Class	Subclass	Filing Date
Initials	4 1	Ocument Number	Date	Idusogie et al.	,		
2000	124	6,194,551 B1		OCUPES (Including Author, Title, Date, Pertine	nt Pages, etc	.)	

nitials		Document Number	Date	-1			1		
Duck			27.02.01	Idusogie et al.	This Date Deathers	nt Page etc.	1		
الم وسر			OTHER DISCL	OSURES (Including Author, mition of antibody (Igo 188)	r, little, Date, Pertine	c receptor	(FcRI)" Mc	plecular	
		Burton et al., "M	Molecular recog	nition of antibody (190	dal na cettatat t	. <u>r</u> . . .	-	j	
sul	125	immunology 25(11)):1175-1181 (15	00)		337.575 571	(1989)		
W. 1	125 immunology 25(11):1175-1101 (2007) Capon et al., "Designing CD4 Immunoadhesins for AIDS Therapy" Nature 337:525-531 (1989)								
7		capon et al., "Do						gered Hymen	
	126	(1	n of Secondary FcγRI Bir	nding Site withi	in a Genetic	ally Engi	neered numan	
- - 	 	Chappel et al.,	"Identificatio	of Secondary FC/RI BIR Gical Chemistry 268:251	124-25131 (1993)				
1 1	127	IğG Antibody" <u>Jo</u>	THAT OF RIOTO	nal structure of a huma	n immunoglobuli	n with a him	nge deleti	on" PNAS (USA)	
	 	Guddat et al., "7	Three-dimension	nal structure of a huma	an immunogiobuii.			1	
1 [1	129	90:4271-4275 (199	193)			Tagge	w Indiant	or for the	
		\ \ \ \		Human Monocyte Fcγ Rec J. Immunol. 154:1852-1	ceptors with Rat	iggzb: A Ne	_ Indicat		
		Haagen et al., '	Polymorphism"	J. Immunol. 154:1852-1	1860 (1995)				
	129	LCMITA (K-MI31)		ic Structure of an Inte	act IgG1 Monoclo	nal Antibod	y" Journal	or Molecular	
 	+	Harris et al., "	"Crystallograph	ic Structure or an int	_			1	
	130	Biology 275:861-	-872 (1998)		Monaglassa	body" Rioch	emistry 36	5:1581-1597	
	+	Harrie et al "	'Refined Struct	ure of an Intact IgG2a	Monoclonal Anti	They brock		ì	
1 1	1	(1997)	-					nity Recentors	
	1	1.4		eceptors Identify Funct	ional Domains of	f the Murine	e High Aff	THICY RECEPTORS	
 - - - - - - - - - 	1	Hulett et al.,	"Cnimeric Fc R	1868 (1991)				=	
1 1	132	Hulett et al., " 2 for IgG" J. Immu	14/:1863		'aalth and Diggood	зе, CB Ltd а	and Garlan	d Publishing	
	l	∨	Temurobiology.	The Immune System in H	ucarch and bisea				
1 1	122	Janeway et al. 1 3 Inc., NY & Londo	on pps. 3:29-3	:30 (1994)			v Natural	Killer Cell	
1 1		11	TOWRTTT = 1 E OTT /T	Polymorphism Influence	es the Binding (of the IgG l	4 (1997)	<u>.</u>	
	\top	Koene et al.,	endently of the	Polymorphism Influenc FCγRIIIa-48L/R/H Phen	notype" Blood 90 ((2):TTOA-TT*			
1 1	134	4 FCYKILLA, Indep		genotypes of FcyRIIIA i	nfluence the dev	velopment of	f Kaposi's	sarcoma in	
-	+-	Lehrnbecher et	al., "Variant	genotypes of FcyklilA					
1 1	135	5 HIV-infected me	en" <u>B1000</u> 33(//	.2500	C CAMPARU 1U	u evnressed :	in differe	ent cell lines	
	1	11160111 05 01	"Glycosvlation	and biological activity	ty of CAMPATH-IL	-822 (Dec 1	995)		
1-1	1	and grown under	different cul	and biological activiture conditions Glycol	ютотодА 2 (8):81°			ronic Duen	
1 1					- profeins in Uno	O CCIID GA	ng a dicis	CLOUIC DHEK	
 		Lucas et al.,	"High-level pro	eleic Acids Research 24	\(9):1774-1779 (1	1996)			
1	13	17 intron expressi	ion vector <u>Nuc</u>				Gen Modulat	te Recognition by	
L	4	Jund et al "M	Multiple Intera	actions of the IgG with optor I and Influence t	n its core Uligo. he Synthesis of	Its Oligosa	ccharide (Chains" J.	
1 5		g Complement and	Human Fcy Rece	ptor I and Influence t	THE PARTICIPEDIA OF		<u> </u>	w recentorell	
1	/ ¹³	Immunol. 157:45	963-4969 (1996)	e-protein interactions	in IgG can modu.	late recogn.	ition by F	cl recebenta.	
	-	Lund et al., "	Oligosaccharid)					
∤ [13	FASEB Journal	A:TT2-TTA (1A2	·	l galactable med	kerfor selec	ction of h	nigh producing	
		l •/		ent protein as a second	d selectable mar	BEIC	_ •		
J. 1		Meng et al., 10	ansfected CHO	cells" Gene 242:201-207	., \2000]		- 1	and Affinity"	
1 1	ì			for the Ec Receptor Y	Subunit: Enhance	ement of the	e rcyR Lig	and ALLINICY"	
-	+	Miller et al.,	"A Novel Role	cine 183:2227-2233 (199	96)				
1	14	41 Journal of Ext	verimental Medi	of the Fcy receptor IIIF		iscentihilit	ty to rheu	matoid arthritis	
1_1	l		"T-real rement O	of the Fcy receptor III	A genotypes in s				
IT	1	Nieto et al., Arthritis and	Rheumatism 43(4):735-739 (2000)					
1	' 1	44 MILLITITE AND			- Data	Considered			

Examiner

Date Considered

FORM PTO-1449 LIST OF DISCLOSURES CITED BY APPLICAN

U.S. Dept. of Commerce Patent and Trademark Office

Serial No. Atty Docket No. 09/483,588 P1726R1 Applicant Presta, L. Group Filing Date

	-	OSUBES CITED BY APPLICANT	Piesta, D.	Group	\leq	الـ		
		CLOSURES CITED BY APPLICANT	Filing Date	1644	豆	9		
(Us	se sever	al sheets if necessary)	14 Jan 2000			-9		
(in a star Title Dot	Filing Date 14 Jan 2000 Date, Pertinent Pages, etc.) Pase N-linked oligosaccharide from Sion time-of-flight mass spectrometric					
		OTHER DISCLOSURES (Including Author, Title, Date of the paper of the p	N-linked oligosaccha	ride from	. 8 8	Ŧ		
- A T	<u>[:</u>	Papac et al., "A high-throughput microscale method to release glycoproteins for matrix-assisted laser desorption/ionization	time-of-flight mass	spectrometri	90			
1648	143	glycoproteins for matrix (5),463-472 (1998)	Jag by Matrix-Ass	sisted Laser				
		analysis Grycostolia of Acidic Oligosaccharides and Grycostolia of A	Chem. 68:3215-3223	(1996)				
1	144	analysis" Glycobiology 8(5:463-472) Papac et al., "Analysis of Acidic Oligosaccharides and Glycop Papac et al., "Analysis of Acidic Oligosaccharides and Glycop Perpac et al., "Analysis of Acidic Oligosaccharides and Glycop Perpac et al., "Novel From Receptor I Family Gene Products in 1 Porges et al., "Novel From Receptor I Family Gene Products in 1	Monoruglear Cel	ls" J. Clin.	Invest	<u> </u>		
. } \	144	√ Whovel Fcv Receptor I Family Gene Products in 1	Human Mononuclear co.					
77		Porges et al., "Novel 10, most 90:2102-2109 (1992)		Anni Pov	Cell. De	v.		
	~145	90:2102-2109 (1992) Raghavan and Bjorkman, "Fc Receptors and their Interactions w	vith Immunoglobulins"	Annu. Rev.				
+	 	Raghavan and Bjorkman, "FC Receptors and 1997				O.F		
	146	Biol. 12:181-220 (1990)	Towns For recept	or IIb: a ne	w member	OL		
		Sondermann et al., "Crystal structure of the soluble form of the immunoglobulin superfamily at 1.7 A resolution" EMBO Jour	<u>rnal</u> 18(5):1095-1103	(1227)				
	147	the immunoglobulin superfamily at 1.7 A resolution. V Sondermann et al., "The 32-A crystal structure of the human	IgG1 Fc Fragment-FcγR	III complex"	Nature			
—		Sondermann et al., "The 32-A crystal structure of the human is	-9					
	148	406:267-273 (2000)	TaG1 with optimized	antibody-de	pendent			
	ļ	406:267-273 (2000) Umana et al., "Engineered glycoforms of an antineuroblastoma	(1999)					
V	140	Umana et al., "Engineered glycoforms of an antineuroblastome cellular cytotoxic activity" Nature Biotechnology 17:176-180						
W	149							
	1							
	1							
	+-							
	+-							
					_			
	+-							
 								
			•					
1	1_		 -					
				· .				
1	-							
	\dashv							
1								
			Date Considered	1.1.				
<u> </u>		David a Savenueur	Date Contiduored	11102	-			
Exa	miner	David a Screnicero		ah aitatian				

4.	• •		OIA	5			W	Dur	L. P. Sheet	Les 1	12 of <u>1</u>
FORM	PTO	-1449		12	U.S. Dept. of Commerce	Attv	Docket No.		Serial N		
			MOV 26	2001 R	Patent and Trademark Office	P172		İ	09/483		
LICT	OE D	ISCLOSURES CITED B		5, 5,	Faterit and Trademark Office	Applicant					
			N. 7	S. C. L. S.			sta, L.				
(L	lse se	veral sheets if necessar	N)			Filing	Date		Group		
		· · · · · · · · · · · · · · · · · · ·				1	4 Jan 2000		1644		
xaminer					J.S. PATENT DOCUMENTS						
nitials		Document Number	Date		Name		Class	Subcla	ss	Filing [Date
yu	150	6,165,745	26.12.00	Ward e	t al.			 -			
ous	151	6,277,375	21.08.01	Ward, 1	E.		_		- 4		
			· · · · · · · · · · · · · · · · · · ·	F0	OREIGN PATENT DOCUMENT	S	<u> </u>		꾸		J
xaminer itials		Document Number	Date		Country		Class	Subclas		ra ns lati	
Des	152	WO 93/22332	11.11.93	PCT				Japonac	~ 	~	111
ous	153	WO 97/34631	25.09.97	PCT					_ 1	ငမ	<u> </u>
				1					\$	2001	VE
į				ŀ					15	믜	
								ł	2900	į	U
1											
								Ì			
		,						1	ŀ		
										İ	
							İ				
1		1									
									i		
ŀ		İ							İ	İ	
	- [
	ł										
	ŀ										
]		İ		
							į				
	- 1								1		.
							ı				ľ
			ļ								
		1	1								1
							1				
l aminer	<u></u>										
	2	Tarina A			Date	e Consid					
vaminar	Initia	l if reference considera	d whather are not	Cr citation :	in conformance with MPEP 60		2/1	1/0	2_		

		allan Per	ree S
Y		Sheet 1 of	
Atty Dock	cet No	Serial No.	

						•				
1 011101 10 1440			Atty C	ocket No.	1 77	al No.				
		•		Patent and Trade	mark Office	P172		09/	483,588	
	- a- a	AANAANIDEA AITED D	V ADDI IOANT	T diom and Trace		Appl				
LIS	I OF DI	SCLOSURES CITED B	T APPLICANT				Data	l Crou	ın.	-
. ((Use sev	eral sheets if necessary	y)			Filing	Dale 4 Jan 2000	Grou	1644	
				U.S. PATENT DOC	UMENTS				0 1 1	
Examine				1 0.5.1 A1EM 200		_		1	T	
Initials]	Document Number	Date	Name			Class	Subclass	Filing	Date
13/	1 11	5,624,821	29.04.97	Winter et al.	7.8	- 10)				
1	2	5,648,260	15.07.97	Winter et al.	(o`	- 00	ಕ		!	
	3	5,736,137	07.04.98	Anderson et al.	MAY	8 5000	6			
, 1	. 4	5,985,599	16.11.99	McKenzie et al.	\		MANK OFFI		_	
			<u></u>	FOREIGN PATENT	DOCUMÊNT	S. TRAD			<u> </u>	
Examine	or				E IV	1 04 1			Transla	ation
Initials	'	Document Number	Date	Count	ry		Class	Subclass	Yes	No
K R	5	WO 00/09560	24.02.00	PCT					 	
J	6	WO 94/29351	22.12.94	PCT					-	
1 /	-7	WO 97/44362	27.11.97	PCT					•	_
1 -	8	W0-98/52975	26.11.98	PCT		·		<u> </u>		
			OTHER DISCL	OSURES (Including Autho	or, Title, Date,	Pertine	nt Pages, et	tc.)		
R	9	Immunity 8(4):509	9-516 (Apr 1998						•	
	10	and phagocytosis	" <u>European Jour</u>	pe-specific amino aci nal of Immunology 24(10):2542-25	547 (Oc	t 1994)			lysis
	11	Burmeister et al. 372(6504):379-383		ructure of the complex	of rat nec	onatal	Fc recept	or with Fc'	' <u>Nature</u>	
	12	Burton and Woof,	"Human Antiboo	y Effector Function"	Advances in	n Immur	ology 51:	1-84 (1992)		
	13	Burton et al., "	The Clq recepto	or site on immunoglobu	lin G" <u>Natı</u>	<u>ire</u> 288	(5789):33	8-344 (Nov	27, 1980	
	14	Burton, "Immunog	lobulin G: Func	tional Sites" <u>Molecul</u>	ar Immunolo	ogy 22 (3):161-20	6 (1985)		
2	15	determined by mul	ltiple amino ac	ading affinity of humatids in the $C_{ m H}2$ domain	n IgG for i	its hig	h affinit l by the h	y Fc receptinge region	or is n" <u>Journa</u>	l of
-	-	Experimental Medi	<u>icine</u> 173(6):14 Humanization of	83-1491 (Jun 1, 1991) an anti-p185 ^{HERZ} ant	ibody for h	numan c	ancer the	rapy" Proc.	Natl. A	cad.
	16	Sci. 89:4285-428			±',					
	17	recombinant IgG1	/IgG2 hybrid ar	n of the Fcγ receptor and point-mutated antib	odies" <u>Prod</u>	c. Natl	. Acad. S	<u>ci. USA</u> 88	(20):9036	5-9040
	18	(Jul 1995)		antibodies trigger in						
	19	Sci. USA 95(2):6	52-656 (Jan 20,							
	/20	of activation and	d inhibitory Fo	mmune complex-induced	f Experimen	ntal Me	edicine 18	9(1):179-1	ate expre 85 (Jan 4	ession 1, 1999
	21			mmune complex formati)(5353):1052-1054 (Feb	13, 1998)			colmmune		
Exam	iner	·Alde	11/1			Date Cor	sidered			
*Exar	niner: li	nitial if reference consid	dered, whether or i	not citation is in conformand	e with MPEP	609; d	raw line thro	ugh citation		
if no	ot in co	ntormance and not con	sidered. Include co	opy of this form with next of	communication	to appi	icant.			

Don't a Savender

8/22/02

USCOMM-DC 80-398.

Sheet	2	of	4	
OHEEL		UI.		

Patent and Trademark Office LIST OF DISCLOSURES CITED BY APPLICANT (Use several sheets if necessary) OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.) Description of the property	EODI	A DTO	1440 LLC Dont of Commoved	Atty Docket No.	Serial No.					
Palent and Trademark Office LIST OF DISCLOSURES CITED BY APPLICANT (Use several sheels if necessary) OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.) OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.) Decision of the processory of the pertinent Pages, etc.) Decision of the processor of the pertinent Pages, etc.) Decision of the processor of the pertinent Pages, etc.) Decision of the pertinent of the pertinent Pages, etc.) Decision of the pertinent of the pertinent Pages, etc.) Decision of the pertinent of the pertinent Pages, etc.) Decision of the pertinent of the pertinent Pages, etc.) Decision of the pertinent Pages,	FUNI	VIPIO-	1449 U.S. Dept. of Commerce	1 .	•					
Use several sheels if necessary) OTHER DISCLOSURES (including Author, Title, Date, Pertinent Pages, etc.) Daeron, M., "For Receptor Biology" Annual Review of Immunology 15:203-234 (1937) Daeron, M., "For Receptor Biology" Annual Review of Immunology 15:203-234 (1937) Daeron, M., "For Receptor Biology" Annual Review of Immunology 15:203-234 (1937) Daeron, M., "For Receptor Biology" Annual Review of Immunology 15:203-234 (1937) Daeron, M., "For Receptor Biology" Annual Review of Immunology 15:203-234 (1937) Detection of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution" Biochemistry 20(9):2361-2370 (1981) Duncan and Winter. "The binding site for Clq on TgG" Nature 332:738-740 (Apr 21, 1988) Duncan et al., "Localization of the binding site for the human high-affinity For receptor on TgG" Nature 2332:533-546 (April 7, 1988) L Gazzano-Santoro et al., "A non-radioactive complement-dependent concolonal antibody Journal of Immunological Methods 202:163-1 26 Gargaly et al., "For receptors on Tymphocytes and X cells" Biocomplement of the District State of Cell 1984) Shetie and Ward, "Form: the RMC class I-related receptor that Islands and Cell Immunology 26 (3):690-696 (Mar 1996) Shetie et al., "Manorally shert serum half-lives of TgG in B2-microglobulin-deficient mice" Divrocean Journal of Immunology 26 (3):690-696 (Mar 1996) Gorean et al., "Transient Froduction of Proteins Using an Adenovirus Transformed Cell Line" DNA Front Canham et al., "Characteristics of a Ruman Cell Line Transformed by DNA from Euman Adenovirus Type 5" J. Gen. Wirol. 36:59-72 (1977) Greenwood et al., "Brucetonal activity of Feyfilf and Feyfilf on subsets of human Lymphocytes" Immunology 26(3):1099-1106 (May 1991) Hatia et al., "Resociation of Fgg receptor IIIB, but not of Fg receptor IIA and IIIA, polymorphisms with systemic lupus crythenatosus in Japanese" Genes and Immunity 1:53-60 (1999) Hatia et al., "Resociation of the Nurine IgGl Rolecule: Evidence that Both Cell-City Domain Interfaces are Received for Sept			Patent and Trademark Office		137,1037,300					
OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.) Descon, M., "For Receptor Biology" Annual Review of Temmology 15:203-224 [1997] Descon, M., "For Receptor Biology" Annual Review of Temmology 15:203-224 [1997] Dessenhofer, "Crystallographic Refinement and Atomic Models of a Numan For fragment and its Complex with Fragment B of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution" Biochemistry (20)9:12361-2370 (1981) Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) Duncan and Winter, "The binding site for the human high-affinity FC receptor on IgG" Nature 332:738-740 (Apr 21, 1988) Duncan and Winter, "The binding site for the human high-affinity FC receptor on IgG" Nature 332:738-740 (Apr 21, 1987) Gazzano-Santoro et al., "A non-radioactive complement-dependent monoclonal antibody" Journal of Immunological Methods 202:163-1797) Gergaly et al., "For receptors on lymphocytes and K cells" Biochemical Methods 202:163-1797) Ghetie et al., "For receptors on lymphocytes and K cells" Biochemical Methods 202:163-1797) Chetie et al., "Abnormally short serum half-lives of IgG in B2-microglobulin-deficient mice" European Journal of Journal of Immunology 26(3):690-696 (Mar 1996) Somma et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Divisional Methods (Mar 1996) Corpha et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Divisional Methods (Mar 1996) Gorpha et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Divisional Methods (Mar 1996) Corpha et al., "Increasing the serum persistence of an IgG fragment by Pank from Human Adenovirus Type 5" L. Gazn. Avirol. 36:59-72 (1977) Gorpha et al., "Fragmoner Production of Proteins Using an Adenovirus Transf	LIST	OF DI	SCLOSURES CITED BY APPLICANT	1 ''						
Dueron, M., "Pc Receptor Biology" Annual Review of Immunology 15:7203-234 (1997) 22 Dueron, M., "Pc Receptor Biology" Annual Review of Immunology 15:7203-234 (1997) 23 Deisenhoter, "Crystallographic Refinement and Atomic Models of a Human Fc fragment and Its Complex with Fragment B of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution" Biochemistry 20(9):2261-2370 (1981) Duncan and Munter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) 24 Duncan et al., "Localization of the binding site for the human high-affinity FC receptor on IgG' Nature 332:553-564 (April 7, 1988) Duncan et al., "Localization of the binding site for the human high-affinity FC receptor on IgG' Nature 332:553-564 (April 7, 1988) Buncan et al., "A non-radioactive complement-dependent of Control News for anti-CD20 monoclonal antibody" Journal of Immunological Mathods 202:163-17, 1997) Gergely et al., "Fc receptors on lymphocytes and K cells" Biochemistry 1997) Gergely et al., "For receptors on lymphocytes and K cells" Biochemistry 1997) Gergely et al., "For receptors on lymphocytes and K cells" Biochemistry 1997) Gergely et al., "For receptors on lymphocytes and K cells" Biochemistry 1997) Gergely et al., "For receptors on lymphocytes and K cells" Biochemistry 1997) Gergely et al., "For receptors on lymphocytes and K cells" Biochemistry 1997) Gergely et al., "For receptors on lymphocytes and K cells" Biochemistry 1997) Ghetic et al., "Annormally short serum half-lives of IgG in p2-microglobulin deficient mice" Buropean Journal of Limmunology 23(5):169-760 (April 1997) Ghetic et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature 1997 Augurnal 1997 Augurn	,	laa aa.	American Michael Marcana Michael Laure		Group					
OTHER DISCLOSURES (Including Author, Title, Date, Perlinent Pages, etc.) Daeron, M., "For Receptor Biology' Annual Review of Immunology 15:203-234 (1997) Dissenhofer, "Crystallographic Refinement and Atomic Rodels of a Ruman Per fragment and Its Complex With Fragment B of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution" Biochemistry 20(9):2361-2370 (1981) Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) Duncan et al., "Localization of the binding site for the human high-affinity PC receptor on IgG" Nature 2312:563-564 (Apr11 7, 1988) Sarzano-Santoro et al., "A non-radioactive complement-dependent proceedings of the Classification of the binding site for the human high-affinity PC receptor on IgG" Nature 2312:563-564 (Apr11 7, 1988) Sarzano-Santoro et al., "A non-radioactive complement-dependent proceedings of the Classification of Complement and Classification of Complement and Classification of Complement and Classification of Complement and Classification of Complement and Classification of Complement and Classification of Classific	(1	ose sev	veral sheets if necessary)	"	1644					
Deisenhofer, 'Crystallographic Refinement and Atomic Models of a Human Fc fragment and Its Complex with Fragment B of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution' Biochemistry 2019;12361-2370 (1981) Duncan and Winter, "The binding site for Clq on IgG' Nature 332:738-740 (Apr 21, 1988) 24 Duncan et al., "Localization of the binding site for the human high-affinity FC receptor on IgG' Nature 332:563-564 (April 7, 1988) 6arzano-Santoro et al., "A non-radioactive complement-dependent production of the monoclonal antibody Journal of Immunological Mathods 202:163-1 [1997] 6arzano-Santoro et al., "Fc receptors on lymphocytes and K cells" Biocommical Mathods 70:163-1 [1997] 7c Gergely et al., "Fc receptors on lymphocytes and K cells" Biocommical Mathods 70:163-1 [1997] 8dhetie and Ward, "FcRn: the HHC class I-related receptor that is not that is a few for the mice" European. Journal of Immunology 26(3):690-696 (Mar 1996) 9dhetie et al., "Abmormally short serum half-lives of IgG in B2-microglobulin-deficient mice" European. Journal of Immunology 26(3):690-696 (Mar 1996) 9dhetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature. Rightschnology 15(7):637-640 (Jul 1997) 9dorman et al., "Transient Froduction of Proteins Using an Adenovirus Transformed Cell Line" DNA Frot. Rightschnology 15(7):637-640 (Jul 1997) 9dorman et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 26(5):1999-1104 (May 1993) 10d Hadley et al., "The functional activity of PcyRII and FcyRII on subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) 10d Hatta et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 26(8):1995-194 (May 1993) 11d Hadley et al., "The functional activity of PcyRII and FcyRII on subsets of human lymphocytes" Immunology 26(8):1995-194 (May 1993) 12d Hadley et al., "The functional activity of PcyRII and FcyRII on subsets of human Supre										
23 Fragment B of Protein A from Staphylococcus aureus at 2.9- and 2.8-A Resolution" Blochemistry 20(9):2361-2370 (1981) 24 Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) 25 Duncan et al., "Localization of the binding site for the human high-affinity FC receptor on IgG" Nature 332:563-564 (April 7, 1988) 25 Duncan et al., "A non-radioactive complement-dependent on consoleration of the binding site for the human high-affinity FC receptor on IgG" Nature 32:563-564 (April 7, 1988) 26 Gazzano-Santoro et al., "A non-radioactive complement-dependent on consoleration of the binding site for the human high-affinity FC receptor on IgG" Nature 25 Oct. 1984) 27 Gergely et al., "Fc receptors on lymphocytes and X cells" Blocommic of the binding site for the human high-affinity FC receptor 12(5):739-743 (Cct 1984) 28 Gergely et al., "Fc receptors on lymphocytes and X cells" Blocommic of the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the human for the binding site for the human for the human for the binding site for the human for the human for the binding site for the human for the human for the binding site for the human for the binding site for the human for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for the binding site for the human for for preceptor functions and for formal site for the binding site for the human for for preceptor functions and for formal site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site for the binding site	B	22	Daeron, M., "Fc Receptor Biology" <u>Annual Review of Immunology</u>	15:203-234 (1997)						
Duncan and Winter, "The binding site for Clq on IgG" Nature 332:738-740 (Apr 21, 1988) 24 Duncan et al., "Localization of the binding site for the human high-affinity FC receptor on IgG" Nature 332:563-564 (April 7, 1988) [25] Bazzano-Santoro et al., "A non-radicactive complement-dependent production was an interest of the human high-affinity FC receptor on IgG" Nature 332:563-564 (April 7, 1988) [26] Gazzano-Santoro et al., "A non-radicactive complement-dependent production was an interest of the production of the binding site for the human high-affinity FC receptor on IgG" Nature 25 332:563-564 (April 7, 1988) [27] Gergely et al., "Fc receptors on lymphocytes and K cells" Biocemical south Telegraph of the production of Lamunology 12(5):739-743 (Oct 1984) [28] Chetie and Ward, "FcRn: the MHC class I-related receptor that is more than a lamunology 12(5):739-743 (December 1884) [29] Chetie et al., "Abnormally short serum half-lives of IgG in β2-microglobulin-deficient mice" European Journal of Lamunology 26(3):690-696 (Mar 1996) [20] Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Nature Nature 1885 (Nature 1886) [20] Gorman et al., "Transient Production of Froteins Using an Adenovirus Transformed Cell Line" DNA Prot. 1886 (Nature 1886) [21] Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. 2001 (Nature 1887) [22] Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 26(3):1098-1104 (May 1993) [23] Hatta et al., "Association of Fey receptor IIIB, but not of Fey receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese' Genes and Immunity 1:53-60 (1999) [24] Hatta et al., "Association of Fey receptor IIIB, but not of Fey receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese' Genes and Immunity 1:53-60 (1999) [25] [26] Hatta et al., "Association of Fey receptor IIIB,	1		Deisenhofer, "Crystallographic Refinement and Atomic Models of	a Human Fc fragment	and Its Complex with					
Duncan et al., "Localization of the binding site for the human high-affinity FC receptor on IgG" Nature 1312:563-564 (April 7, 1988) Gazzano-Santoro et al., "A non-radioactive complement-dependent (April 7, 1988) Gazzano-Santoro et al., "A non-radioactive complement-dependent (April 7, 1988) Gergely et al., "Fc receptors on lymphocytes and K cells" Biocemican Good Tanasactions 12(5):739-743 (Oct 1984) Ghetie and Ward, "FcRn: the MHC class I-related receptor that is more than any G transporter" Immunology Today 18(12):592-598 (Dec 1997) Ghetie et al., "Abnormally short serum half-lives of IgG in β2-microglobulin-deficient mice" European Journal of Immunology 26(3):690-696 (Mar 1996) Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Nigischnology 15(7):637-640 (Jul 1997) Gorman et al., "Transient Production of Proteins Using an Adenovirus Transformed Cell Line" DNA Prot. 18 Immunology 26(3):690-72 (1977) Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. 32 San. Virol. 36:39-72 (1977) Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 26(3):496-451 (Jul 1992) Haddey et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) Hadta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor III and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor III and IIIA, polymorphisms with systemic lupus erythematosus in Japanese Genes and Immunity 1:53-60 (1999) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor III and IIIA, polymorphisms with syste		23	20(9):2361-2370 (1981)							
25 3322563-564 (April 7, 1988) 1 26 Gazzano-Santoro et al., "A non-radioactive complement-dependent processory for anti-CD20 monoclonal antibody" Journal of Immunological Methods 202:163-1 (1984) 27 (Oct 1984) 28 Gergely et al., "Fc receptors on lymphocytes and K cells" Biocommication (Inmunology Today 18(12):592-598 (Dec 1997) 29 Genetie and Ward, "FcRm: the MHC class I-related receptor that is more than a grad transporter" Immunology Today 18(12):592-598 (Dec 1997) 30 Ghetie et al., "Abnormally short serum half-lives of IgG in β2-microglobulin-deficient mice" European Journal of Immunology 26(3):690-696 (Mar 1996) 30 Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Richardschnology 15(7):637-640 (Jul 1997) 31 Eng. Tech. 2(1):3-10 (1990) 32 Ganam et al., "Transient Production of Proteins Using an Adenovirus Transformed Cell Line" DNA Prot. Ranger Transformed Cell Line DNA Prot. Ranger Tech. 2(1):3-10 (1990) 32 Ganam et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. Gen. Virol. 36:59-72 (1977) 33 of Immunology 23(5):1098-1104 (May 1993) 34 Hadley et al., "The functional activity of FcyRiI and FcyRiII on subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) 35 Hadle et al., "Association of Fcy receptor IIIB, but not of Fcy receptor IIA and IIIA, polymorphisms with system clupus crythematosus in Japanese" Genes and Immunity 1:53-60 (1994) 4 Heiken et al., "Association of Fcy receptor IIIB, but not of Fcy receptor IIA and IIIA, polymorphisms with system clupus crythematosus in Japanese" Genes and Immunity 1:53-60 (1994) 4 Heiken et al., "The functional activity of PcyRiI and FcyRiII on Subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) 4 Heiken et al., "The functional activity of FcyRiI and FcyRiII on Subsets of human Services NIH. 5th extraction, Bethesda, No 1995) 4 Heiken et al., "Catabolism of the Murine IgGi Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Requ	į.	24			,					
Cergely et al., "Fc receptors on lymphocytes and K cells" Elocimical Colling Thinsactions 12(5):739-743 (Oct 1984)		25		high-affinity FC re	ceptor on IgG" <u>Nature</u>					
Chetic and Ward, "FCRn: the MHC class I-related receptor that is more than a gg transporter" Immunology Today 18(12):592-598 (Dec 1997) Ghetie et al., "Abnormally short serum half-lives of IgG in β2-microglobulin-deficient mice" European. 29 Journal of Immunology 26(3):690-696 (Mar 1996) Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature. Riotechnology 15(7):637-640 (Jul 1997) Gorman et al., "Transient Production of Proteins Using an Adenovirus Transformed Cell Line" DNA Prot. 31 Eng. Tech. 2(1):3-10 (1990) Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. 32 Gen. Virol. 36:59-72 (1977) Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 23(5):1098-1104 (May 1993) Hadley et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) Hatta et al., "Association of Fcy receptor IIIB, but not of Fcy receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "Thymphocyte development in the absence of Fcc receptor IY subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) Labal Jensences of Particles University of Immunological Interest, US Dept of Neotich and Human Services, NIH, 5th edition, Bethesda, ND (1994) Kim et al., "Catabolism of the Murine IgGl Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgGl in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgGl fragments by Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgGl fragments by	, ,	26	monoclonal antibody" <u>Journal of Immunological Methods</u> 202:163-	171 (1997)						
Immunology Today 18(12):592-598 (Dec 1997) Chetie et al., "Abnormally short serum half-lives of IgG in β2-microglobulin-deficient mice" European 29 Journal of Immunology 26(3):690-696 (Mar 1996) Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature 30 Biofachnology 15(7):637-640 (Jul 1997) Gorman et al., "Transient Production of Proteins Using an Adenovirus Transformed Cell Line" DNA Prot. 31 Eng. Tech. 2(1):3-10 (1990) Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. 32 Gen. Virol. 36:59-72 (1977) Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal 33 of Immunology 23(5):1098-1104 (May 1993) Hadley et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" 34 Immunology 76(3):446-451 (Jul 1992) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor IIA and IIIA, polymorphisms 35 with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "T lymphocyte development in the absence of Fcc receptor Iγ subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) What Semesters of Proteins of Immunological Interest, US Dept of Health and Bungan Scrutces, NIH, 5th edition, Bethesda, ND (1994) Kim et al., "Catabolism of the Murine IgGl Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgGl in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Catabolism of acid residues that influence plasma clearance of murine IgGl fragments by Kim et al., "Intertifying amino acid residues that influence plasma clearance of murine IgGl fragments by		27	Gergely et al., "Fc receptors on lymphocytes and K cells" <u>Bioc</u> (Oct 1984)	emical gos 1000 Tan	sactions 12(5):739-743					
Sournal of Immunology 26(3):690-696 (Mar 1996) Chetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" Nature Riofechnology 15(7):637-640 (Jul 1997) Gorman et al., "Transient Production of Proteins Using an Adenovirus Transformed Cell Line" DNA Prot. 131 Eng. Tech. 2(1):3-10 (1990) Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. 22 Gen. Virol. 36:59-72 (1977) Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 23(5):1098-1104 (May 1993) Hadley et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" 134 Immunology 76(3):446-451 (Jul 1992) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor III and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "Tlymphocyte development in the absence of Fcr receptor Iγ subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) **Apar Semence of Poteins Unimamological Industrial User Pote of Health and Human Services, NHH, 5th eathern, Bethesda, No (1994) Kim et al., "Catabolism of the Murine IgGl Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgGl in the Circulation of Mice" Scandinavian Journal of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgGl fragments by		28	Ghetie and Ward, "FcRn: the MHC class I-related receptor that is more than an gG transporter" Immunology Today 18(12):592-598 (Dec 1997)							
Signer Street S		29	Ghetie et al., "Abnormally short serum half-lives of IgG in \$2-microglobulin-deficient mice" <u>European Journal of Immunology</u> 26(3):690-696 (Mar 1996)							
V Gorman et al., "Transient Production of Proteins Using an Adenovirus Transformed Cell Line" DNA Prot. 131 Eng. Tech. 2(1):3-10 (1990) Graham et al., "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5" J. 132 Gen. Virol. 36:59-72 (1977) Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal 133 of Immunology 23(5):1098-1104 (May 1993) Hadley et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" 134 Immunology 76(3):446-451 (Jul 1992) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor IIA and IIIA, polymorphisms 135 with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "T lymphocyte development in the absence of Fcc receptor Iγ subunit: analysis of 136 thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) 137 Ashat Samence of Proteins of Immunological Interest, US Dept of Health and Human Services, NIH, 5th 138 edition, Bethesda, Mb (1991) 139 Kim et al., "Catabolism of the Murine IgG1 Molecule: Evidence That Both CH2-CH3 Domain Interfaces are 139 Required for Persistence of IgG1 in the Circulation of Mice" Scandinavian Journal Of Immunology 140(4):457-465 (1994) 150 Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by		30	Ghetie et al., "Increasing the serum persistence of an IgG fragment by random mutagenesis" <u>Nature</u> <u>Biotechnology</u> 15(7):637-640 (Jul 1997)							
Gen. Virol. 36:59-72 (1977) Greenwood et al., "Structural motifs involved in human IgG antibody effector functions" European Journal of Immunology 23(5):1098-1104 (May 1993) Hadley et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "T lymphocyte development in the absence of Fcr receptor Iγ subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) Kahat Sessences of Proteins of Immunological Interest, US Dept of Health and Human Services, NIH, 5th edition, Bethesda, May (1994) Kim et al., "Catabolism of the Murine IgGl Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgGl in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgGl fragments by		31		ovirus Transformed C	ell Line" <u>DNA Prot.</u>					
of Immunology 23(5):1098-1104 (May 1993) Hadley et al., "The functional activity of FcγRII and FcγRIII on subsets of human lymphocytes" Immunology 76(3):446-451 (Jul 1992) Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "T lymphocyte development in the absence of Fcc receptor Iγ subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) **Abat Sequence of Proteins of Immunological Interest, US Dopt of Health and Human Services, NHH, 5th edition, Bethesda, Mp (1991) **Kim et al., "Catabolism of the Murine IgGl Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgGl in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgGl fragments by		32		ed by DNA from Human	Adenovirus Type 5" <u>J.</u>					
Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ receptor IIA and IIIA, polymorphisms with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "T lymphocyte development in the absence of Fcɛ receptor Iγ subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) Kabat Sequence of Proteins of Immunological Interest, US Dopt of Health and Human Services, NIH, 5th edition, Bethesda, Mp (1991) Kim et al., "Catabolism of the Murine IgG1 Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgG1 in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by	L	33	Greenwood et al., "Structural motifs involved in human IgG ant of Immunology 23(5):1098-1104 (May 1993)	ibody effector funct	ions" <u>European Journal</u>					
with systemic lupus erythematosus in Japanese" Genes and Immunity 1:53-60 (1999) Heiken et al., "T lymphocyte development in the absence of FcE receptor Iγ subunit: analysis of thymic-dependent and independent αβ and γδ pathways" European Journal of Immunology 26(8):1935-1943 (Aug 1996) Kabar Sequences of Proteins of Immunological Interest, US Dopt of Health and Human Services, NIH, 5th edition, Bethesda, Mp (1991) Kim et al., "Catabolism of the Murine IgG1 Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgG1 in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by	1	34	Hadley et al., "The functional activity of FcyRII and FcyRIII of Immunology 76(3):446-451 (Jul 1992)	n subsets of human l	ymphocytes"					
thymic-dependent and independent αβ and γδ pathways" <u>European Journal of Immunology</u> 26(8):1935-1943 (Aug 1996) Kabat <u>Sequences of Proteins of Immunological Interest</u> , <u>US Dopt of Health and Human Services</u> , <u>NIM</u> , 5th edition, Bethesda, <u>Mb (1991)</u> Kim et al., "Catabolism of the Murine IgG1 Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgG1 in the Circulation of Mice" <u>Scandinavian Journal Of Immunology</u> 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by		35	Hatta et al., "Association of Fcγ receptor IIIB, but not of Fcγ with systemic lupus erythematosus in Japanese" <u>Genes and Immun</u>	receptor IIA and II ity 1:53-60 (1999)	IA, polymorphisms					
Kabat Sequences of Proteins of Immunological Interest, US Dopt of Health and Human Services, NIH, 5th edition, Bethesda, MD (1991) Kim et al., "Catabolism of the Murine IgG1 Molecule: Evidence That Both CH2-CH3 Domain Interfaces are Required for Persistence of IgG1 in the Circulation of Mice" Scandinavian Journal Of Immunology 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by		36 thymic-dependent and independent $\alpha\beta$ and $\gamma\delta$ pathways" European Journal of Immunology 26(8):1935-19								
Required for Persistence of IgG1 in the Circulation of Mice" <u>Scandinavian Journal Of Immunology</u> 40(4):457-465 (1994) Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by	į.	*37	Kabar Sequences of Proteins of Immunological Interest, US Dopt of Health and Human Services, NIH, 5th							
Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by site-directed mutagenesis" European Journal of Immunology 24:542-548 (1994)		38	Required for Persistence of IgG1 in the Circulation of Mice Section 40(4):457-465 (1994)	candinavian Journal	Of Immunology					
		39	Kim et al., "Identifying amino acid residues that influence plasma clearance of murine IgG1 fragments by							
Kim et al., "Inhibition of Vascular Endothelial Growth Factor-Induced Angiogenesis Suppresses Tumour 40 Growth in vivo" Nature 362:841-844 (1993)		40	Growth in vivo" <u>Nature</u> 362:841-844 (1993)							
Kim et al., "Localization of the site of the murine IgG1 molecule that is involved in binding to the murine intestinal Fc receptor" <u>European Journal of Immunology</u> 24:2429-2434 (1994)		41	Kim et al., "Localization of the site of the murine IgG1 molecumurine intestinal Fc receptor" <u>European Journal of Immunology</u>	ıle that is involved 24:2429-2434 (1994)	in binding to the					
Examiner Date Considered 6/18/6 (Examine		Jan Jos	Date Considered 6/18	3/01					
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	*Examir	er: Ini in conf	tial if reference considered, whether or not citation is in conformance with MPEP ormance and not considered. Include copy of this form with next communication	609; draw line through of to applicant.	itation					

David a Launden

6/2402 USCOMM-DC 80-398.

Sheet	3	of	4

<u></u>	OPM D	TO-1449 U.S. Down at O		Sheet 3 of
'	UHIVI F	U.S. Dept. of Commerce	Atty Docket No.	Serial No.
	•	Patent and Trademark Office	P1726R1	09/483,588
1	LIST OF	DISCLOSURES CITED BY APPLICANT	Applicant	
1			Presta, L.	
1	(USE	several sheets if necessary)	Filing Date	Group
_		OTHER PLANTS	14 Jan 2000	164
 	2	OTHER DISCLOSURES (Including Author, Title, Date, I		
	√ 4:	Monocional Antibodies" Growth Factors 7((1):00-04 (1992)	
	43	Kunkel, T., "Rapid and Efficient Site-Specific Mutagenesis Witho <u>Acad. Sci.</u> 82:488-492 (1985)	out Phenotypic Select	
	44	94(12):4220-4232 (Part 15 19) receptor polymorphisms in control as	uu ulsease nonulatior	CO Dland
	45	(Mar 1, 1996)		Journal of
	46	Lorenz et al., "Strong association between the responder status spontaneous abortion" European Journal of January	of the FCYLL CC Dto	and recurrent
\dashv	-	· <u>Support Southar Of Immunogenetics</u> 22(5):39	97-401 (Oct 1995)	recurrent
4	47	(oun 1992)	MAY U DA	Marimmunology
	48	Medesan et al., "Delineation of the amino acid residues involved IgG1" <u>Journal of Immunology</u> 158(5):2211-2217 (Mar 1, 1997)	7/04	
4	49	Medesan et al., "Localization of the site of the IgG molecule that in mice" European Journal of Immunology 26(10):2533-2536 (Oct 199	at regulates maternof	
	50	Morrison et al., "Structural Determinants of Human IgG Function"	Immunologist 2:119-1	24 (1994)
7	51	Okada et al., "Cutting Edge: Role of the inositol phosphatase SHI oscillatory response" <u>Journal of Immunology</u> 161(10):5129-5132 (No	P in B cell receptor	-induced Ca ²⁺
	52	Ono et al., "Deletion of SHIP or SHP-1 reveals two distinct pathwood (2):293-301 (Jul 25, 1997)	ays for inhibitory si	gnaling" <u>Cell</u>
	53	Ono et al., "Role of the inositol phosphatase SHIP in negative receptor FcyRIIB" Nature 383(6597):263-266 (Sep 19, 1996)		
	54	Popov et al., "The stoichiometry and affinity of the interaction class I-related receptor, FcRn" Molecular Immunology 33(6):521-530) (ADT 1996)	
	55	Presta et al., "Humanization of an Anti-Vascular Endothelial Growt Therapy of Solid Tumors and Other Disorders" <u>Cancer Research</u> 57(20	h Factor Monoclonal	19971
	56	Ragnavan et al., "Analysis of the pH dependence of the neonatal Fourier using antibody and receptor variants" Biochemistry 34(45):14649-14	receptor/immunoglob	ulin G interaction
	57	Ravetch and Clynes, "Divergent roles for Fc receptors and compleme Immunology 16:421-432 (1998)	nt in vivo" <u>Annual Re</u>	eview of
,	58	Ravetch and Kinet, "Fc Receptors" Annual Review of Immunology 9:45	7-492 (1991)	
1	59	Ravetch, J., "Fc receptors" <u>Current Opinion in Immunology</u> 9(1):121	-125 (Feb 1997)	
T	60	Ravetch, J., "Fc receptors: rubor redux" <u>Cell</u> 78 (4):553-560 (Aug 26	5, 1994)	
<u> </u>	61	Reff et al., "Depletion of B cells in vivo by a chimeric mouse huma 83(2):435-445 (Jan 15, 1994)	an monoclonal antibod	y to CD20" <u>Blood</u>
amine				
xamir	ner: Initi	al if reference considered what	Considered 6/18/0	/
f not	in confo	al if reference considered, whether or not citation is in conformance with MPEP 609; rmance and not considered. Include copy of this form with next communication to ap	draw line through citation	

David a Saunden

8/22/02 USCOMM-DC 80-398.

FORM PTO-1449	U.S. Dept. of Commerce	Atty Docket No.	Serial No. 09/483,588
LIST OF DISCLOSURES CITED BY APPLICANT	Patent and Trademark Office	Applicant Presta, L.	
(Use several sheets if necessary)		Filing Date 14 Jan 2000	Group /644

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.) Sarmay et al., "Ligand inhibition studies on the role of Fc receptors in antibody-dependent cell-mediated cytotoxicity" Molecular Immunology 21(1):43-51 (Jan 1984) 62 Shores et al., "T cell development in mice lacking all T cell receptor ζ family members (ζ , η , and FceRIγ) " Journal of Experimental Medicine 187(7):1093-1101 (Apr 6, 1998) 63 Suzuki et al., "Distinct contribution of Fc receptors and angiotensin II-dependent pathways in anti-GBM glomerulonephritis" <u>Kidney International</u> 54(4):1166-1174 (Oct 1998) 64 Sylvestre and Ravetch, "A dominant role for mast cell Fc receptors in the Arthus reaction" <u>Immunity</u> 5(4):387-390 (Oct 1996) 65 Sylvestre and Ravetch, "Fc receptors initiate the Arthus reaction: redefining the inflammatory cascade" Science 265(5175):1095-1098 (Aug 19, 1994) 66 Sylvestre et al., "Immunoglobulin G-mediated inflammatory responses develop normally in complement-deficient mice" Journal of Experimental Medicine 14 (2:2) 2392 (Dec 1, 1996)

Takai et al., "Augmented humoral and anaphylactic responses in FcyRII-definient mice" Nature 67 Takai et al., "Augmented humoral and anaphylactic response HAND B MOO. 379(6563):346-349 (Jan 25, 1996) 68 ctor cella efects Cell 76(3):519-529 Takai et al., "FcR γ chain deletion results in pleiotrophi (Feb 11, 1994) 69 Tao et al., "Structural features of human immunoglobulin G that in gome land the structural features of human immunoglobulin G that is a second to the structural features of human immunoglobulin G that is a second to the structural features of human immunoglobulin G that is a second to the secon ne isotype-specific differences in complement activation" Journal of Experimental Medicine 178(2):661-667 (Aug 1, 1993) 70 Ting et al., "Fcγ receptor activation induces the tyrosine phosphorylation of both phospholipase C (PLC)-γ1 and PLC-γ2 in natural killer cells" Journal of Experimental Medicine 176(6):1751-1755 (Dec 1, 71 1992) Vance et al., "Binding of monomeric human IgG defines an expression polymorphism of FcγRIII on large granular lymphocyte/natural killer cells" <u>Journal of Immunology</u> 151(11):6429-6439 (Dec 1, 1993) 72 Ward and Ghetie, "The effector functions of immunoglobulins: implications for therapy" Therapeutic Immunology 2(2):77-94 (Apr 1995) 73 Weng et al., "Computational determination of the structure of rat Fc bound to the neonatal Fc receptor" Journal of Molecular Biology 282(2):217-225 (Sep 18, 1998) 74 Werther et al., "Humanization of an Anti-Lymphocyte Function-Associated Antigen (LFA)-1 Monoclonal Antibody and Reengineering of the Humanized Antibody for Binding to Rhesus LFA-1" J. of Immunology 75 157:4986-4995 (1996) Woof et al., "Localisation of the monocyte-binding region on human immunoglobulin G" Molecular <u>Immunology</u> 23(3):319-330 (Mar 1986) 76 Wu et al., "A novel polymorphism of FcγRIIIa (CD16) alters receptor function and predisposes to autoimmune disease" <u>Journal of Clinical Investigation</u> 100(5):1059-1070 (Sep 1, 1997) 77 Xu et al., "The N-terminal sequence of the $m C_{H}2$ domain controls the differential ability of human m IgG1and IgG2 to activate complement" Journal of Immunology (abstract no. 862) 150(8):152A (Apr 15, 1993) 78 Yap et al., "Human Fc gamma receptor IIA (Fc γ RIIA) genotyping and association with systemic lupus erythematosus (SLE) in Chinese and Malays in Malaysia" Lupus 8(4):305-310 (1999) 79 Yuan et al., "Antibody-mediated modulation of Cryptococcus neoformans infection is dependent on distinct Fc receptor functions and IgG subclasses" <u>Journal of Experimental Medicine</u> 187(4):641-648 (Feb 16, 1998) 80

Examiner

Date Considered

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

David a Genden

8/2402

USCOMM-DC 80-398.

attach Papas 1 Sheet 1

FORM PTO-1449

U.S. Dept. of Commerce

Patent and Trademark Office

Serial No. Atty Docket No. 09/483,588 P1726R1 **Applicant**

				1644 1644			
		J		U.S. PATENT DOCUMENTS			
miner	ί	Document Number	Date	Name	Class	Subclass	Filing Date
WS	81	4,752,601	21.06.88	Hahn			
<i>]</i>	82	5,348,876	20.09.94	Michaelsen et al.			
/	_83	5,698,449	16.12.97	Baumann et al.			
				FOREIGN PATENT DOCUMENTS	S		- 1
miner als		Document Number	Date	Country	Class	Subclass	Translation Yes No
mil	84	WO 88/07089	22.09.88	PCT			
الا ج	-85	WO 97/28267 /	07.08.97	PCT /	-		
1	86	wo 98/23289 ₩	04.06.98	PCT			
1 4	87	WO 99/43713	02.09.99	PCT			
1/	- 88	WO 99/58572	18.11.99	PCT			
	91 92 93	of human IgG1- a	nd IgG3-opsoni	ophil FcYRIIa (CD32) and FcYRIIIk zed bacteria and erythrocytes" I f Human IgG Fc Receptors" Immuno of ORTHOCLONE OKT3" Transplantat	methods 4:25-3	34 (1994)	
+	94	1987) de Haas et al.,	"Fcγ receptors	of phagocytes" J. of Laboratory	Clinical Medi	cine 126:33	0-341 (1995)
1	96	that binds to the 1994)	e globular "he	a, cDNA cloning, and overexpressions of Clq" Journal of Experiments of multiple-domain forms of the the control of the classical control of the cl	nerapeutic ant	2,2,1	
\dashv	97	Hogarth et al., (Feb 1994)	"Characteriza	ion of FcR Ig-binding sites and	epitope mappi	ng" <u>Immunome</u>	ethods 4(1):17-2
4	98			acteristics of Dimeric IgG Subcl	ass Complexes	to Human New	itrophils" <u>Jour</u>
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	98	of Immunology 14	12:2359-2364 (1989) efinition of Interaction Sites o			

Examiner

Davie a Saunden

Sheet	2	of	2

FORM PTO-1449

U.S. Dept. of Commerce Patent and Trademark Office

Serial No. Atty Docket No. 09/483,588 P1726R1

Applicant

FIST (OI DIO	occosones oned by Arr cloans	rresed, E.	
(Use several sheets if necessary)		Filing Date 14 Jan 2000	Group	
		OTHER DISCLOSURES (Including Author, Title, Date, I	Pertinent Pages, etc.)	
gus	102	Lauvrak et al., "Identification and characterisation of Clq-bind Chemistry 378(12):1509-1519 (Dec 1997)	ling phage displayed	peptides" <u>Biological</u>
	10,3	Lund et al., "Human FcyRI and Fcy RII interact with distinct but of Immunology 147(8):2657-2662 (Oct 15, 1991)	overlapping sites o	n human IgG" J <u>ournal</u>
	104	Morgan et al., "The N-terminal end of the CH2 domain of chimeric Clq, FcYRI and FcYRIII binding" Immunology 86(2):319-324 (Oct 19	human IgG1 anti-HL 95)	A-DR is necessary for
	105	Nagarajan et al., "Ligand binding and phagocytosis by CD16 (Fc γ signaling by associated ζ and γ subunits in Chinese hamster ovar $(270(43):25762-25770)$	y cells" <u>Journal of</u>	Biological Chemistry
V	106	Ngo et al., "Computational Complexity, Protein Structure Predict Protein Folding Problem and Tertiary Structure Prediction, Merz 491-495 (1994)	& Le Grand, Boston:	Birkhauser pps.
Sug	107	Sarmay et al., "Mapping and comparison of the interaction sites triggering antibody dependent cellular cytotoxicity (ADCC) throus receptor Molecular Immunology 29(5):633-639 (May 1992) Sensel et al., "Amino acid differences in the N-terminus of CH2	igh different types	of human Fcγ
	108	and IgG3 to activate complement" Molecular Immunology 34(14):10	19-1029 (Oct 1997)	
	109	Strohmeier et al., "Neutrophil functional responses depend on in Leukocyte Biology 58(4):403-414 (Oct 1995)	•	·
!	110	Strohmeier et al., "Role of the Fc\u00a7R subclasses Fc\u00a7RII and Fc\u00a7RI neutrophils by low and high valency immune complexes" <u>Journal of 1995</u>)	f Leukocyte Biology	58(4):415-422 (Oct
	111	Tamm et al., "The IgG binding site of human FcγRIIIB receptor in membrane-proximal domain" <u>Journal of Biological Chemistry</u> 271(7):3659-3666 (Feb 16,	1996)
	112	Tao-et al., "Studies of aglycosylated chimeric mouse-human IgG. and Effector Functions Mediated by the Human IgG Constant Region (Oct 15, 1989)	n" <u>Journal of Immuno</u>	logy 143(8):2595-2601
	113	Tao et al., "The differential ability of human IgG1 and IgG4 to COOH-terminal sequence of the $C_{ m H2}$ domain" <u>Journal of Experiments</u>	<u>al Medicine</u> 173(4):1	025-1028 (Apr 1991)
	114	Tax et al., "Fc receptors for mouse IgG1 on human monocytes: po cell proliferation" <u>Journal of Immunology</u> 133(3):1185-1189 (Sep	1984)	
N	115	Urfer et al., "High resolution mapping of the binding site of T neurotrophin-3 on the second immunoglobulin-like domain of the Chemistry 273(10):5829-5840 (Mar 6, 1998)	Trk receptors" <u>Journ</u>	aal of Biological
	116	Van de Winkel and Anderson, "Biology of human immunoglobulin G Biology 49(5):511-524 (May 1991)		
	117	Warmerdam et al., "A single amino acid in the second Ig-like do critical for human IgG2 binding" <u>Journal of Immunology</u> 147(4):1	338-1343 (Aug 15, 19	991)
1	118	Wright and Morrison, "Effect of altered CH2-associated carbohyd properties and in vivo fate of chimeric mouse-human immunoglobu 180(3):1087-1096 (Sep 1, 1994)	rate structure on th	e functional Experimental Medicine
٠				
Examine	er	David a Samuer	ate Considered 8/2 2	/02

AUG 2 3 2002 FORM PTO-1449

utters Paper #08
Sheet 1_ of 1_

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.	Serial No.
P1726R1	09/483,588
Applicant	
Presta, L.	

Filing Date

14 Jan 2000

Group

1644

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

	-	
II S	PATENT	DOCUMENTS

			_	U.S. PATENT DOC	CUMENTS 		_ 	
Examiner nitials		Document Number	Date	Nam	e	Class	Subclass	Filing Date
eu	154	2002/0098193	25.07.02	Ward, E:				
			OTHER DISC	LOSURES (Including Auth	or, Title, Date, Pert	inent Pages, e	tc.)	.atural
Sus	155	Maxwell et al., Biology 6(5):437	"Crystal struc -442 (May 1999	ture of the human leuk	cocyte Fc recept	cor, FCYRIIa	Nature Str	ICCUIAI_
							RECE	INED
							RECE AUG 2	8 5005
						•	TECH CENT	R 1600 2900
			· · · · · · · · · · · · · · · · · · ·				•	
						,	-	
								
								
						-		

Examiner

Date Considered